## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

December 23, 2013

Dr. Norma C. Pangilinan Bayer Environmental Science 2 T.W. Alexander Drive Research Triangle Park, NC 27709

Subject:

Label notification to add restrictions for the state of Oregon, per PRN 98-10

Dear Dr. Pangilinan:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10, dated December 10, 2013 for "Merit 0.35 Plus Turf Fertilizer" EPA Registration No. 432-1355.

The Registration Division (RD) has conducted a review of the request for applicability under PRN 98-10 and finds that the changes requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please contact me directly at 703-308-8735 or email me at chao.julie@epa.gov.

Sincerely,

Julie A. Chao

Insecticide-Rodenticide Branch Registration Division (7505P) Office of Pesticide Programs

in Denna

Please read instructions on reverse before a	ng form.		Form Approx	MB No. 2	2070-006	O. Approvel expires 2-28-9
	United States  ntal Protectio Vashington, DC 204		<b>√</b>	Registra Amendr Other	tion	OPP Identifier Number
	Applicatio	n for Pestici	de - Section	l		
1. Company/Product Number 432-1355		i i	Product Manager Eagle		3. Pro	oposed Classification
4. Company/Product (Name) Merit 0.35 Plus Turf Fertilizer		PM# 1				Nestricted
5. Name and Address of Applicant (Include Zong) Bayer Environmental Science 2 T. W. Alexander Drive Research Triangle Park, NC 27709 Check if this is a new address	9	(b)(i), n to: EPA F		nilar or identi	ical in co	FIFRA Section 3(c)(3) mposition and labeling
		Section - I	II			
Amendment - Explain below.  Resubmission in response to Agency I  Notification - Explain below.	etter dated	[]	Final printed labe Agency letter dat "Me Too" Applic Other - Explain b	ted ation.		OTIFICATION DEC 2 3 2013
Explanation: Use additional page(s) if necessary and the pollinator protection seems of the pollinator protection seems o			that is being require	ed by the Oreg		
		Section - I				
1. Material This Product Will Be Packaged In:						
Child-Resistant Packaging  Yes  No  * Certification must be submitted  Unit Packaging  Unit Packaging  Unit Packaging  Unit Packaging	No. per wgt. container	Water Soluble P Yes No If "Yes" Package wgt	No. per container	2. Type of	Container  Metal Plastic Glass Paper Other (S	specify)
3. Location of Net Contents Information  Label Container	4. Size(s) Ret	eil Container	5. Lo	ocation of Lab	el Directio	ns
6. Manner in Which Label is Affixed to Produc	ct Lithogi Paper Stencii	eph glued ed	Other			
		Section - I'	V		~	
1. Contact Point (Complete items directly be	low for identification	n of individual to b	e contacted, if nec	essary, to ord	ocess this	application.)
Name Norma C, Pangilinan, Ph.D.		Title Registrations Ma	nager		<b>Talashon</b> 919-549-	e No. (Include Area Code) 2428
I certify that the statements I have made is acknowledge that any knowlingly falso both under applicable law.		all attachments th				6. Dete Application Received (Stamped)
2. Signature		3. Title / Registrations Man	ager			
4. Typed Name Norma C. Pangilinan, Ph.D.	:	5. Date Dec	cember 10, 2	013		,

### Bayer CropScience

Document Processing Desk (NOTIF) EPA - Office of Pesticide Programs (7504P) One Potomac Yard, Room S-4900 2777 S. Crystal Drive Arlington, VA 22202

Attn:

Venus Eagle,

**Product Manager Team 1** 

Registration Division, Insecticide-Rodenticide

BAYER E R

NOTIFICATION DEC 2 3 2013

Subject: Label Notification with Oregon Dept of Agriculture Requirement

Merit 0.35 Plus Turf Fertilizer (EPA Reg. No. 432-1355)

December 10, 2013

Dear Ms. Eagle

Bayer CropScience P. O. Box 12014 2 TW Alexander Drive Research Triangle Park NC 27709

The enclosed Notification is being submitted to add the pollinator protection  $\frac{NC}{27709}$  Statement restricting use on linden trees that is being required by the Oregon Tel: 919 549-2000 Department of Agriculture.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Sections 12 and 14 of FIFRA.

The following documents are enclosed in support of this application:

- 1. Completed EPA Form 8570-1
- copies of the revised product label plus one highlighted copy tracking revision to label.

Please do not hesitate to call (919-549-2428) or e-mail me (norma.pangilinan@bayer.com), if you have any questions.

Sincerely,

BAYER ENVIRONMENTAL SCIENCE A DIVISION OF BAYER CROPSCIENCE

NORMA C. PANGILINAN, Ph.D,

Registrations Manager

# Merit® 0.35 Plus Turf Fertilizer

or fertilization and insect control in turfgrass and landscape ornamentals	
Fertilizer with Merit Insecticide	
ACTIVE INGREDIENT:	
Imidacloprid, 1-[(6-Chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine	0.35%
OTHER INGREDIENTS:	<u>99.65%</u>
TOTAL:	100.0%
EPA Reg. No. 432-1355	EPA Est. No

Merit® is a registered trademark of Bayer.

# STOP - READ THE LABEL BEFORE USE KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUCION AL USUARIO: Si usted no puede leer o entender inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

	FIRST AID
If swallowed:	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
If on skin or clothing:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15 - 20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If in eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, it present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
	or label with you when calling a poison control center or doctor, or going for treatment. You may also emergency medical treatment.
NOTE TO PHYSICIAN: NO	o specific antidote is available. Treat the patient symptomatically

#### PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

#### **ENVIRONMENTAL HAZARDS**

This product is highly toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface vector is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters.

This chemical demonstrates the properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater confaction.

NOTIFICATION

DEC 2 3 2013

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not formulate this product into other end-use products.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If material is spilled for any reason or cause, carefully contain any spilled material to prevent non-target contamination. Do not walk through spilled material and dispose of as directed for pesticides above. Refer to Precautionary Statements on label for hazards associated with the handling of this material. In spill or leak incidents, keep unauthorized people away. You may contact the Bayer Environmental Science Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Bayer Environmental Science Emergency Response Telephone No. is 1-800-334-7577 or contact Chemtrec at 800-424-9300.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Completely empty bag into application equipment. Dispose of empty bag in a sanitary landfill or by incineration.

#### **APPLICATION TO TURFGRASS**

The use of this product will provide plant nutrients as well as providing control of selected insect pests. MERIT® 0.35 Plus Turf Fertilizer can be used for the control of soil inhabiting pests of turfgrass, such as Northern & Southern masked chafers, *Cyclocephala borealis*, *C. immaculata*, and/or *C. lurida*; Asiatic garden beetle, *Maladera castanea*; European chafer, *Rhizotroqus majalis*; May or June beetles, *Phyllophaga* spp.; Japanese beetle, *Popillia japonica*; Oriental beetle, *Anomala orientalis*; Billbugs, *Sphenophorus* spp.; Annual bluegrass weevil, *Hyperodes* spp.; Black turfgrass ataenius, *Ataenius spretulus*; *Aphodius* spp.; European Crane Fly *Tipula paludosa*; and mole crickets, *Scapteriscus* spp. Merit 0.35 Plus Turf Fertilizer can be used as directed on turfgrass in sites such as home lawns, business and office complexes, shopping complexes, multi-family residential complexes, golf courses, airports, cemeteries, parks, playgrounds, and athletic fields. Merit 0.35 Plus Turf Fertilizer cannot be used on commercial sod farms.

CROP	·	DOSAGE MERIT + TURF FERTILIZER	
Turf Grasses	Larvae of: Annual bluegrass weevil Asiatic garden beetle Billbugs Black turfgrass ataenius European chafer	European Crane Fly Japanese beetle Northern masked chafer Oriental beetle Phyllophaga spp. Southern masked chafer	70 to 115 lb per acre or 1.7 to 2.6 lb per 1,000 sq ft
	Larvae of: Asiatic garden beetle Black turfgrass ataenius European chafer European Crane Fly	Japanese beetle Northern masked chafer Oriental beetle Phyllophaga spp. Southern masked chafer	85 lb per acre or 2 lb per 1,000 sq ft
	Larvae of: Annual bluegrass weevil Billbugs		85 to 115 lb per acre or 2 to 2 6 lb per 1,000 sq ft
		olication prior to egg hatch of the target NEQUIPMENT" Section of this label.	pest.
	Mole crickets		115 lh per acr⊩ ∪r 2.6 lb per 1,000 sq ft
			ak egg hatch period. When aduits אין la ge izer application should be accompanied b

Consult your local State Agricultural Experiment Station or State Extension Turf Specialists for more specific information regarding timing of application.

NOTE: For optimum control, irrigation or rainfall should occur within 24 hours after application to move the active ingredient through the thatch. On golf courses, irrigate treated areas following application. Do not apply more than 115 lb (0.4 lb of active ingredient) per acre per year. Avoid mowing turf or lawn area until after irrigation or rainfall has occurred so that uniformity of application will not be affected.

The active ingredient in Merit 0.35 Plus Turf Fertilizer has sufficient residual activity so that applications can be made preceding the egg laying activity of the target pests. High levels of control can be achieved when applications are made preceding or during the egg laying period. The need for an application can be based on historical monitoring of the site, previous records or experiences, current season adult trapping or other methods. Optimum control will be achieved when applications are made prior to egg hatch of the target pest, followed by sufficient irrigation or rainfall to move the active ingredient through the thatch.

Applications should not be made when turfgrass areas are waterlogged or the soil is saturated with water. Adequate distribution of the active ingredient cannot be achieved when these conditions exist. The treated turf must be in such a condition that the rainfall or irrigation will penetrate vertically into the soil profile. Applications cannot exceed a total of 115 lb (0.4 lb of active ingredient) per acre per year.

#### **APPLICATION TO ORNAMENTALS**

Merit 0.35 Plus Turf Fertilizer can be used as a broadcast application on ornamentals in commercial and residential landscapes, as well as on landscaped areas of golf courses and other recreational areas. This is a systemic product, with the active ingredient being absorbed by the roots and translocated upward within the plant. Optimum control will be achieved when applications are followed by sufficient mechanical incorporation, irrigation, or rainfall to place the active ingredient into the soil. Application should be made prior to anticipated pest infestation to achieve optimum levels of control.

Applications of Merit 0.35 Plus Turf Fertilizer cannot exceed a total of 115 lb (0.4 lb of active ingredient) per acre per year.

NOTE: Not for use in commercial greenhouses, or nurseries, or on sod farms.

RECOMMENDED APPLICATION RATES FOR USE ON ORNAMENTALS				
CROP	PEST	DOSAGE MERIT + TURF FERTILIZER		
Landscape Plantings Including: Trees, Shrubs, Evergreens, Flowers, Foliage, Plants, Ground Covers	White grub larvae Such as: Japanese beetle larvae, Chafers, <i>Phyllophaga</i> spp. Asiatic garden beetle, Oriental beetle	2 to 2.6 lb per 1,000 sq ft		

Apply as a broadcast treatment. Prior to application, remove black plastic or other weed barrier material that will not permit water permeability.

RESTRICTION: Do not apply this product, by any application method, to linden, basswood, or other Tilia species.

NOTE: For optimum control, mechanical incorporation, irrigation, or rainfall should occur within 24 hours after application to move the active ingredient into soil.

Refer to label sections on application equipment and spreader settings.

#### APPLICATION EQUIPMENT

Apply Merit 0.35 Plus Turf Fertilizer uniformly over the area being treated with typical granular application equipment. Both drop-type and rotary-type spreaders may be used to apply Merit 0.35 Plus Turf Fertilizer. Avoid the use of spreaders which would apply the material in narrow, concentrated bands. Calibrate application equipment prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly and accurately.

#### SPREADER SETTINGS FOR MERIT 0.35 PLUS TURF FERTILIZER

The following chart can be used as a guide in establishing an accurate rate of Merit 0.35 Plus Turf Fertilizer. The suggested settings should provide an application rate of 2 lb per 1,000 sq ft, or 85 lb per acre. Application rates will vary dependent upon speed, equipment wear and condition of spreader. Carefully calibrate all equipment used prior to commercial use of this product.

#### [Chart to Come]

#### RESTRICTIONS

Avoid runoff or puddling of irrigation water following application. Avoid application of Merit 0.35 Plus Turf Fertilizer to areas which are water-logged or saturated, which will not allow penetration into the root zone of the plant. Do not apply more than 115 lb (0.4 lb of active ingredient) per acre per year. Do not apply to vegetable gardens.

#### **IMPORTANT: READ BEFORE USE**

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of liability before using this product.

If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience LP. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE LP MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE LP DISCLAIMS ANY liability whatsoever for special, incidental or consequential damages, resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE LP'S ELECTION, THE REPLACEMENT OF PRODUCT.

#### PRODUCED FOR



**Bayer Environmental Science** 

A DIVISION OF BAYER CROPSCIENCE LP 2 T. W. ALEXANDER DRIVE P.O. BOX 12014 RESEARCH TRIANGLE PARK, NC 27709

Merit® 0.35 Plus Turf Fertilizer (PENDING) 12/05/2013